

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	183	(712/204).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/07 10:10
L2	439	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/07 10:10
L3	112	(712/203).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/07 10:10
S1	143	(load adj1 store adj1 unit) near4 handl\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:14
S2	51	(load adj1 store adj1 unit) near4 compar\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:14
S3	51	(load adj1 store adj1 unit) near4 compar\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:30
S4	5	(load adj1 store adj1 buffer\$1) near4 compar\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:32
S5	0	(load adj1 store adj1 buffer\$1) near4 (operand adj1 mask)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:39
S6	0	(load adj1 store adj1 buffer\$1) with (operand adj1 mask)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:41
S7	0	(load adj1 store adj1 buffer\$1) same (operand adj1 mask)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:41
S8	2	(load adj1 store adj1 buffer\$1) same mask	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 15:05

S9	1	(load adj1 store) same (operand adj1 mask\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:45
S10	89	load near4 store near4 buffer near4 entry	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:46
S11	35	(load adj1 store adj1 buffer) near4 entry	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:53
S12	0	(load adj1 store adj1 buffer) near4 (address\$2 near4 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:56
S13	0	(load adj1 store adj1 buffer) with (address\$2 near4 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:57
S14	2459	(buffer\$1 or cache\$1) near4 (address\$4 near4 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:58
S15	2187	(buffer\$1 or cache\$1) near4 (address near4 pointer\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 14:58
S16	23	(buffer\$1 or cache\$1) near4 (address near4 pointer\$1) near4 window\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 15:01
S17	19	(buffer\$1 or cache\$1) near4 (address near4 pointer\$1) near4 valid\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 15:05
S18	446	(buffer\$1 or cache\$1) same (address near4 pointer\$1) same valid\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/04 15:05
S19	2	data near4 quadword near4 (load and store)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 14:01
S20	229	data near4 quadword	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 14:06

S21	1	(load near4 store) same (operand adj1 mask\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 15:02
S22	66	operand adj1 mask\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 15:06
S23	45	(register\$1 adj1 window\$3) near4 (pointer\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 15:30
S24	0	(register\$1 adj1 window\$3) near4 (((begin or start) adj1 pointer\$1) and ((end or last) adj1 pointer\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 15:36
S25	0	(register adj1 window) near4 (((begin or start) adj1 pointer\$1) and ((end or last) adj1 pointer\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 15:37
S26	41	(register adj1 window) near4 pointer\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/08 15:37
S27	8	((("5764946") or ("5539892") or ("5761712") or ("5765035") or ("5802588") or ("5848287") or ("6006516") or ("6473832"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/03/10 09:49
S28	1	("6009516").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/03/10 09:50
S29	3373	(buffer\$1 or cache\$1) near4 (compar\$5 near4 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:13
S30	2197	(buffer\$1 or cache\$1) near4 (compar\$5 near2 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:14
S31	765	(compar\$5 near2 address\$2) near4 registers	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:14
S32	0	(compar\$5 near2 address\$2) near4 registers near4 dispatch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:14

S33	3	(compar\$5 near2 address\$2) near4 registers near4 issu\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/29 15:15
S34	179	(712/204).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:29
S35	417	(712/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:29
S36	107	(712/203).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:29
S37	193	(real adj1 address\$2) near4 (TLB)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:38
S38	0	(real adj1 address\$2) near4 (TLB) near4 (operand adj1 mask\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:38
S39	0	(real adj1 address\$2) near4 (TLB) near4 (mask\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:38
S40	1	((real adj1 address\$2) near4 (TLB)) same (operand adj1 mask\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:39
S41	7	((real adj1 address\$2) near4 (TLB)) near4 (load or store)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/01 12:40